Provincial Dictation and Transcription Services







Saskatchewan

Dictation Manual

Table of Contents

| List of Facilities by Community with Site Codes | 3 |
|--|----|
| Dictation Instructions | 4 |
| Saskatchewan Recommended Dictation Practices | 5 |
| Samples of Work Types | |
| Work Type 1 — History and Physical | 6 |
| Work Type 2 — Consult | 7 |
| Work Type 3 — Diagnostic Report | 8 |
| Work Type 4 — Operative/Procedure Report | 9 |
| Work Type 5 — Inpatient Progress Note | 10 |
| Work Type 6 — Discharge Summary | 11 |
| Work Type 7 — Outpatient Report | 12 |
| Work Type 8 – Letter | 13 |
| Work Type 30 — Mental Health Assessment | 14 |
| Work Type 31 – Mental Health Progress Note | 15 |
| Work Type 99 – Advance Care Plan | 16 |
| Dictation FAQs | 17 |
| Institute for Safe Medication Practices (ISMP)'s List of Error-Prone Abbreviations, Symbols, and Dose Designations | 19 |

Please note:

Work types 1-8, 30, 31, and 99 are provincial standards; all others are only available when the applicable site code has been selected. Samples are not provided for those templates.

List of Facilities by Community with Site Codes

- 3 Arcola Health
 88 Assiniboia Union Hospital
 16 Battlefords Mental Health
 35 Biggar & District Health Centre
 116 Broadview Union Hospital
 120 Canora Hospital
 34 Davidson Health Centre
 122 Esterhazy St. Anthony's Hospital
- 122 Esterhazy St. Anthony's Hospital
 2 Estevan St. Joseph's Hospital
 7 Estevan Mental Health
- 118 Fort Qu'Appelle All Nations Healing Hospital87 Gravelbourg St. Joseph's Hospital/Foyer D'Youville
- 41 Herbert And District Integrated Health Facility
- 70 Hudson Bay Health Care Facility55 Humboldt District Health Complex
- 91 Île à la Crosse St. Joseph's Health Centre
- **114** Indian Head Union Hospital
- 121 Kamsack Hospital
- **71** Kelvington & Area Hospital
- **33** Kerrobert Integrated Health Centre
- 30 Kindersley & District Health Centre
- 8 Kipling Integrated Health Centre
- 90 La Loche Health Centre
- **56** Lanigan Hospital
- **42** Leader Hospital
- 11 Lloydminster Hospital
- 19 Maidstone Health Complex
- **43** Maple Creek Southwest Integrated Healthcare
- 18 Meadow Lake Hospital
- **79** Melfort Parkland Place
- **72** Melfort Hospital
- 76 Melfort Mental Health & Addictions Services
- **123** Melville St. Peter's Hospital
- $\textbf{85} \quad \text{Moose Jaw} \text{Dr. F.H. Wigmore Hospital}$
- **86** Moose Jaw Dr. F.H. Wigmore Mental Health
- **89** Moose Jaw Providence Place
- **117** Moosomin South East Integrated Care Centre
- **73** Nipawin Hospital
- 77 Nipawin Mental Health & Addictions Services
- **13** North Battleford Battlefords Union Hospital
- 17 North Battleford Primary Care Battlefords
- 32 Outlook & District Health Centre

- **74** Porcupine Plain Porcupine Carragana Hospital
- **65** Prince Albert Victoria Hospital
- **66** Prince Albert Victoria Hospital Mental Health
- 4 Radville Marian Health Centre
- **9** Redvers Health Centre
- 108 Regina Addictions Services (AS)
- **104** Regina Child and Youth Services (CYS)
- **100** Regina Community Clinic 100
- **105** Regina Mental Health Clinic (MHC)
- **101** Regina Pasqua Hospital (PH)
- **106** Regina Regina Ctr Crossing (Family Med Unit [FMU])
- **102** Regina Regina General Hospital (RGH)
- **102** Regina RGH Infectious Disease Clinic (IDC)
- 102 Regina RGH Medical Services102 Regina TB Prevention and Control
- **103** Regina Wascana Rehabilitation Centre (WRC)
- **103** Regina WRC Functional Rehab Program (FRP)
- **103** Regina WRC Orthotics and Prosthetics
- 31 Rosetown & District Health Centre
- 57 Rosthern Hospital
- **53** Saskatoon Parkridge Centre
- 51 Saskatoon Jim Pattison Children's Hospital
- **51** Saskatoon Royal University Hospital
- **50** Saskatoon Saskatoon City Hospital (SCH)
- **50** Saskatoon SCH Prairieview Surgical Centre
- **52** Saskatoon St. Paul's Hospital
- 44 Shaunavon Hospital And Care Centre
- 67 Shellbrook Parkland Integrated Health Centre
- **46** Swift Current Community Health Services
- **45** Swift Current Cypress Regional Hospital
- **75** Tisdale Hospital
- **78** Tisdale Mental Health & Addictions Services
- 20 Turtleford Riverside Health
- **36** Unity & District Health Centre
- **58** Wadena Hospital
- **59** Watrous District Health Complex
- 1 Weyburn General Hospital
- 6 Weyburn Mental Health
- 115 Wolseley Memorial Integrated Care Centre
- **60** Wynyard Integrated Hospital
- 125 Yorkton Mental Health Centre
- **124** Yorkton Regional Health Centre

Dictation Instructions

- Dial 1-844-666-3250 or -
 - Regina speed dial number 4700 (within Regina city facilities)
 - Saskatoon speed dial number 7745 (within Saskatoon city facilities)
- 2. Follow the three prompts: **User ID Number, Site Location Number** (where patient received care see chart on page 3), repeat User ID Number (for security).

Note: Residents and Clerks must log into the dictation system with their own unique User ID Number

3. Enter the **Work Type Number**, followed by the # key

Provincial Standard work types

1 - History and Physical 5 – Inpatient Progress Note 30 - Mental Health Assessment 2 - Consult 6 – Discharge Summary 31 - Mental Health Progress Note

3 – Diagnostic Report 7 – Outpatient Report 99 - Advance Care Plan

4 – Operative / Procedure Report 8 – Letter

Ancillary or Location Specific work types (available only when site code selected – see chart on page 3)

10 – Orthotics (WRC) 22 – FRP SGI Assessment (WRC) 92 – Urgent Letter (FMU) 16 – IDC – Outpatient (RGH) 23 - FRP Hand (WRC) 93 – Confidential Letter (FMU) 17 – IDC – Outreach (RGH) 26 – Vascular Lab (Saskatoon) 96 - Sexual Assault Report (PH & RGH) 18 – IDC – Letter (RGH) 55 – Young Offender Court 97 – Child Abuse Report (RGH) 19 – IDC – Letter Outreach (RGH) Assessment (AS, CYS, MHC) 97 – Sexual Assault Report (Saskatoon) 20 - FRP WCB (WRC) 90 - Notes (FMU) 100 – Administrative (RGH)

21 – FRP SGI Treatment (WRC) 91 – Letters (FMU) 101 – Mortality Review (PH & RGH)

- 4. Enter the Site Specific Medical Record Number (MRN) patient (chart) identifier, followed by the # key. (If Health Services Number [HSN] is all that is available, press # to move on).
- 5. After the tone, begin dictation. Every time you dictate, please state:
 - 5.1 This is (your **first** and **last** name),
 - Note for Residents/Clerks in addition to your own name, state the first and last name of your attending physician, and his/her specialty. Always **spell** complicated names.
 - 5.2 Dictating a (work type),
 - 5.3 For (patient **first** and **last** name please **spell** names),
 - For mental health dictations you must spell the patient's name, date of birth and Health Services number, as these need to be manually entered.

- 5.4 Date of birth,
- 5.5 MRN (or HSN if MRN is unknown),
- 5.6 Seen on (date of care event).
- 5.7 Copies to (first name, last name, specialty of each recipient - please *spell* names).
- Family physicians listed on the registration system will automatically receive a copy.

- 6. To pause and restart current dictation, press 2.
- 7. Press **8** to end current job/begin new job, or press **5** to end dictation session and disconnect.

Other Keypad functions to use while dictating:

1 – Plav 44 – Go to End of Job 77 – Go to Beginning of Job

2 – Start or Record/Pause/Restart 8 – End of Current Job/Begin New Job 5 – End and Disconnect

3 – Rewind and Play Back 6 - Stat* (will act as a pause)

4 – Fast Forward 7 - Rewind ## - Play Dictation Job Number

*the stat function is used in a small percentage of reports to communicate immediately in critical situations

If you are experiencing difficulties, or require assistance with dictation, please contact eHealth Saskatchewan Service Desk at 1-888-316-7446 or email at servicedesk@ehealthsask.ca.

Saskatchewan Recommended Dictation Practices

- Never allow another person to dictate a single word with your User ID Number, as the system learns from your voice individually.
- Residents and Clerks will be assigned their own unique User ID Number which must be used when doing dictation for the attending physician. Residents and clerks must dictate and spell out the attending physician's first and last name and specialty. Copies of reports will be distributed to the attending physician (or clinician dictated for).
- Dictate with patient, or immediately after the care event whenever possible. Using the Fluency Mobile app on your smartphone makes this easier and secure. To get set up with the Fluency Mobile app, please contact the eHealth service desk, 18883167446.
- Be aware of additional noises around you rustling papers and other noises make it hard for the transcriptionist to hear.
- Do not use a speakerphone to dictate, as this picks up excess background noise, which impacts your voice recognition profile. This includes handsfree dictation while driving.
- Speak clearly, at a regular pace articulate properly without over enunciating or speaking too slowly.
- Spell the name of the patient you are dictating on.
- If copies are required, (or you specify other clinicians in the body of the report) dictate and spell out (if spelling known) the first and last names of the clinician(s) and specialty.
- Include the exact and only needed information.
- Exaggerate or spell out words that can be misunderstood: "Abduction" vs. "adduction" and "hyper-" vs. "hypo-".
- When dictating on a phone, press 2 to pause and restart. If using an application that requires a microphone, release the RECORD button on the microphone when pausing.
- If using an application that requires a microphone, hold the microphone approximately 4 to 6 inches from your mouth and off to the side. Remember to state punctuation.
- Avoid using slang, acronyms, and/or coined terms. A List of Error-Prone Abbreviations, Symbols, and Dose Designations, as determined by Institute for Safe Medication Practices (ISMP) is included beginning on page 19. *These should never be used.*



| VIININ. | |
|-------------------|---------------------------------|
| lame: | |
|) | Patient demographic information |
| | |
| N | will appear in this space |

Registration #:
Admission Date:

History and Physical

Required Headings

DATE SEEN:

REASON FOR ADMISSION:

PRESENTING COMPLAINT:

HISTORY OF PRESENTING COMPLAINT:

ALLERGIES:

CURRENT MEDICATIONS:

PAST HISTORY:

FAMILY/SOCIAL HISTORY:

PHYSICAL EXAMINATION:

CLINICAL SUMMARY/IMPRESSION:

PLAN:

DICTATION TIPS:

- 1. Use this work type for <u>all inpatient</u> admissions, including for Mental Health.
- 2. First sentence should be "This is (your first and last name) dictating a **History and Physical** on *patient* (first and last name please spell out), *date of birth*, and *MRN*, seen on *date of service*".
- 3. Report will be automatically copied to:
 - a. Patient chart;
 - b. Dictator or clinician dictated for; and
 - c. Family physician (if listed at registration).
- 4. Clearly state the **first** and **last** name, location, and specialty of any additional copy recipients.

Testing Doctor, MD

TD/

DD: 03/18/2016 12:09:25

DT:

Job #: 16031801/25337980



| MRN | • |
|---------------|---------------------------------|
| Name | 2: |
| D | Datiant damagraphic information |
| Di H: W | Patient demographic information |
| W | will appear in this space |
| Regis | tration #: |

Consult

Admission Date:

Required Headings

DATE SEEN:

REFERRING PROVIDER:

REASON FOR CONSULT:

PLAN:

Testing Doctor, MD

TD/SM

DD: 03/18/2016 12:09:31 DT: 03/18/2016 13:27:56 Job #: 16031802/25337982

- 1. Use this work type for <u>all</u> consults, as defined by Medical Services Branch (initial service by a specialist on request of another provider).
- 2. First sentence should be "This is (your first and last name) dictating a **Consult** on patient (first and last name please spell out), date of birth, and MRN, seen on date of service".
 - For consults provided via TeleHealth, choose the patient's facility (see page 3 for list of facilities), not the provider's.
- 3. Report will be automatically copied to:
 - a. Patient chart;
 - b. Dictator or clinician dictated for; and
 - c. Family physician (if listed at registration).
- 4. Clearly state the **first** and **last** name, location, and specialty of any additional copy recipients.
- 5. The body of the report should begin "Thank you for asking me to see (patient name) for (reason for consult [e.g. advice, accept patient care, share patient care]).



| MRN: | | |
|----------|-----|---------------------------------|
| Na | me: | |
| Di H: | | Patient demographic information |
| H: W | | will appear in this space |

Diagnostic Report

Registration #:
Admission Date:

Required Headings

DATE SEEN:

NAME OF TEST:

REASON FOR TEST:

RESULTS:

Testing Doctor, MD

TD/SM

DD: 03/18/2016 12:09:37 DT: 03/18/2016 13:28:31 Job #: 16031803/25337985

- Use this work type for any investigative or diagnostic report based on type and location of service provided to patient. Not to be used for Laboratory or Medical Imaging.
- 2. First sentence should be "This is (your first and last name) dictating a **Diagnostic Report** on *patient* (first and last name please spell out), *date of birth*, and *MRN*, seen on *date of service*".
- 3. Report will be automatically copied to:
 - a. Patient chart;
 - b. Dictator or clinician dictated for; and
 - c. Family physician (if listed at registration).
- 4. Clearly state the first and last name, location, and specialty of any additional copy recipients.



| MRN: | | | | |
|------|-----|---------------------------------|--|--|
| Na | me: | | | |
| D | | Patient demographic information | | |
| H: | | will appear in this space | | |
| ۱۸ | | wiii appear iii uns space | | |

Registration #: Admission Date:

Operative/Procedure Report

Required Headings

DATE OF PROCEDURE:

PROCEDURE PERFORMED BY:

PRE-PROCEDURE DIAGNOSIS:

POST-PROCEDURE DIAGNOSIS:

PROCEDURE PERFORMED:

PROCEDURE DETAILS AND FINDINGS:

POST-PROCEDURE PLAN:

Testing Doctor, MD

TD/SM

DD: 03/18/2016 12:09:43 DT: 03/18/2016 13:29:03 Job #: 16031804/25337993

- 1. Use this work type for:
 - a. Any invasive procedures
 - b. Procedure requiring support from nursing/anesthesia
 - c. Vaginal delivery performed in an operating room
 - d. Procedures performed in ambulatory care or other outpatient settings.
- First sentence should be "This is (your first and last name) dictating an Operative/ Procedure Report on patient (first and last name – please spell out), date of birth, and MRN, seen on date of service".
- 3. Report will be automatically copied to:
 - a. Patient chart:
 - b. Dictator or clinician dictated for; and
 - c. Family physician (if listed at registration).
- 4. Clearly state the **first** and **last** name, location, and specialty of any additional copy recipients.



| MRN: | |
|---------|---|
| Name: | |
|) H: | Patient demographic information will appear in this space |

Registration #: Admission Date:

Inpatient Progress Note

DATE SEEN:

(Dictation goes here)

Testing Doctor, MD

TD/SM

DD: 03/18/2016 12:09:49 DT: 03/18/2016 13:29:26 Job #: 16031805/25337994

- 1. Use this work type for:
 - a. Documenting inpatient progress; or
 - b. Transfer of care within a facility (to another unit or care team).
- 2. First sentence should be "This is (your first and last name) dictating an **Inpatient Progress Note** on *patient* (first and last name please spell out), *date of birth*, and *MRN*, seen on *date of service*".
- 3. Report will be automatically copied to:
 - a. Patient chart;
 - b. Dictator or clinician dictated for; and
 - c. Family physician (if listed at registration).
- 4. Clearly state the **first** and **last** name, location, and specialty of any additional copy recipients.



| MRN: | | |
|------|---|--|
| Name | e: | |
| DC | Patient demographic information | |
| HS | will appear in this space | |
| | • | |

Registration #: Admission Date:

Discharge Date:

Discharge Summary

Required Headings

DATE ADMITTED:

DATE DISCHARGED OR TRANSFERRED:

MOST RESPONSIBLE DIAGNOSIS:

COMORBIDITIES:

COURSE IN HOSPITAL:

COMPLICATIONS:

DISCHARGE PLAN:

MEDICATIONS AT DISCHARGE:

Testing Doctor, MD

TD/SM

DD: 03/18/2016 12:09:55 DT: 03/18/2016 13:30:13 Job #: 16031806/25337997

- 1. Use this work type when patient is:
 - a. Discharged home (including personal or long term care homes); or
 - b. Transferred to another facility (press "6" to designate dictation as STAT for urgent interfacility transfers).
- 2. First sentence should be "This is (your first and last name) dictating a Discharge Summary on patient (first and last name please spell out), date of birth, and MRN, seen on date of service".
- 3. Report will be automatically copied to:
 - a. Patient chart:
 - b. Dictator or clinician dictated for; and
 - c. Family physician (if listed at registration).
- 4. Clearly state the first and last name, location, and specialty of any additional copy recipients.



| MRN: | | |
|----------|---|--|
| Name: | | |
| D(H: | Patient demographic information will appear in this space | |

Registration #: Admission Date:

Outpatient Report

Required Headings

DATE SEEN:

TITLE OF CLINIC/REPORT:

(Dictation goes here)

Testing Doctor, MD

TD/SM

DD: 03/18/2016 12:10:01 DT: 03/18/2016 13:30:56 Job #: 16031807/25337999

- Use this work type for outpatient clinic visits, such as follow up visits. Do not use for a consult, or diagnostic or operative procedure.
- First sentence should be "This is (your first and last name) dictating an Outpatient Report on patient (first and last name – please spell out), date of birth, and MRN, seen on date of service".
- 3. Report will be automatically copied to:
 - a. Patient chart;
 - b. Dictator or clinician dictated for; and
 - c. Family physician (if listed at registration).
- 4. Clearly state the **first** and **last** name, location, and specialty of any additional copy recipients.

MRN: Name:

D H:

W

Patient demographic information will appear in this space

Registration #:
Admission Date:

Letter

Testing Doctor, MD Cardiology 28 Lancaster Place Regina SK S4S 2Z4 Phone: (555) 555-1212 Fax: (555) 555-1213

aligned to the right

Return address is

May 25, 2016

Test Doctor, MD 1234 Riverside Ave, Suite 200 Riverside, CA 92507

RE: TEST-BIGG, TRANSCRIPTION (H) (306) 948-3323

Dear Dr. Doctor:

This is sample text to show format of letter. This is sample text to show format of letter.

Sincerely,

Testing Doctor, MD

This document has been dictated and may have been distributed before being read. Any corrections to this document must be made within thirty (30) days following the transcription date.

TD/SM

DD: 05/25/2016 16:05:49 DT: 05/25/2016 16:20:13 Job #: 673372/26118129

cc: Testing Doctor, MD

DICTATION TIPS:

- 1. Use this work type for:
 - a. Referrals/requests for consults
 - b. Communication with outside agencies such as schools or insurers.

DO NOT USE FOR CONSULTS.

- First sentence should be "This is (your first and last name) dictating a Letter on patient (first and last name – please spell out), date of birth, and MRN, seen on date of service".
- 3. Report will be automatically copied to:
 - a. Patient chart and addressee;
 - b. Dictator or clinician dictated for; and
 - c. Family physician (if listed at registration).
- 4. Clearly state the **first** and **last** name, location, and specialty of any additional copy recipients.
- 5. Required Headings for generic referral letter (request for consult):
 - History of presenting complaint
 - Pertinent other history
 - Allergies
 - Medications
 - Special considerations
 - Goals (e.g. opinion, take over care, shared care)



| MRN: | |
|------|---------------------------------|
| Name | :: |
| D(| Patient demographic information |
| HS | will appear in this space |
| ۱۸/ | appear in ano opaco |

Registration #: Admission Date:

Assessment

Required Headings

DATE SEEN:

TITLE OF REPORT:

PRESENTING COMPLAINT:

HISTORY OF PRESENTING COMPLAINT:

BACKGROUND/PERSONAL HISTORY:

CURRENT MEDICATIONS:

MENTAL STATE EXAM:

PRINCIPAL DIAGNOSIS:

SECONDARY DIAGNOSIS:

MANAGEMENT OR TRE \TMEN1 "LAN:

Test Doctor, MD

TD/SM

DD: 04/0/2016 0c.20:57 DT: 04/0 / J16 00:23:44 Ob #: 160 0511/25527919

- 1. Use this work type for mental health program intake.
- 2. First sentence should be "This is (your first and last name) dictating an **Assessment** on *patient* (first and last name please spell out), *date of birth*, *MRN*, and *Health Services Number*, seen on *date of service*".
- 3. Report will be automatically copied to:
 - a. Patient chart;
 - b. Dictator or clinician dictated for; and
 - c. Family physician (if listed at registration).
- 4. Clearly state the **first** and **last** name, location, and specialty of any additional copy recipients.



| MRN: | |
|-------|---------------------------------|
| Name: | |
| DC | Patient demographic information |
| HS | will appear in this space |
| ۱۸/ | wiii appoar iii tiilo opaoo |

Registration #: Admission Date:

Progress Note

DATE SEEN:

(Dictation goes here)

Testing Doctor, MD

TD/SM

DD: 03/23/2016 15:25:32 DT: 03/23/2016 15:55:00 Job #: 375784/25392424

- 1. Use this work type for follow up mental health visits.
- 2. First sentence should be "This is (your first and last name) dictating a **Progress Note** on *patient* (first and last name please spell out), *date of birth*, *MRN*, and *Health Services Number*, seen on *date of service*".
- 3. Report will be automatically copied to:
 - a. Patient chart;
 - b. Dictator or clinician dictated for; and
 - c. Family physician (if listed at registration).
- 4. Clearly state the **first** and **last** name, location, and specialty of any additional copy recipients.



| MRN: | | |
|------|---------------------------------|--|
| Name | e: | |
| DC | Patient demographic information | |
| HS | will appear in this space | |
| ۱۸/ | wiii appear iii alio space | |

Registration #: Admission Date:

Progress Note

DATE SEEN:

(Dictation goes here)

Testing Doctor, MD

TD/SM

DD: 03/23/2016 15:25:32 DT: 03/23/2016 15:55:00 Job #: 375784/25392424

- 1. Use this work type for advance care plan.
- 2. First sentence should be "This is (your first and last name) dictating an Advance Care Plan on patient (first and last name please spell out), date of birth, and MRN, seen on date of service".
- 3. Report will be automatically copied to:
 - a. Patient chart;
 - b. Dictator or clinician dictated for; and
 - c. Family physician (if listed at registration).
- 4. Clearly state the **first** and **last** name, location, and specialty of any additional copy recipients.

Dictation FAQs

1. Where do I get help?

If you are experiencing difficulties or require assistance with dictation, please contact eHealth Saskatchewan Service Desk at 1-888-316-7446 or email servicedesk@ehealthsask.ca.

2. How do I prioritize the dictation?

As you are dictating, or at the end of your dictation, use keypad number 6 to mark your dictation as a stat report. The target turnaround time for stat dictations is 2 hours within business hours (currently 8:00 am to 4:30 pm Monday to Friday).

3. What do I do if I forget to mark an urgent dictation as stat?

Call eHealth Saskatchewan Service Desk at 1-888-316-7446 and provide your name, the dictation job number, patient name, and approximate time of the dictation.

4. What if I have dictated something in error (e.g. wrong patient name), or need to add more information to a dictated document?

Minor corrections (e.g. grammar, punctuation, formatting) need not be made, unless patient care is impacted.

Any *changes* to the original **transcribed** document must be printed legibly (in dark coloured ink) on the report and faxed to Dictation and Transcription Services at 3063475914. The document will be marked "**REVISED DOCUMENT**" and redistributed as per the original.

Additional information must be dictated as an addendum through Dictation and Transcription Services. Call the dictation toll-free number and begin a new dictation, indicating that it is an addendum for a previously dictated document. Please include any available information that will help the transcriptionist find the original document (e.g. patient name, dictation job number and date/time of original dictation, etc.). Dictate the information you need to add to the patient's record. The addendum will be added to the original, marked "**REVISED DOCUMENT**" and redistributed as per the original.

5. What if I can't remember the headings in the work type?

There are examples of the templates and headings available in the Health Information Management area, and at all dictation stations, as well as in this manual (beginning on page 6).

6. Can other documents from a patient's record be attached to the transcribed report?

No. Transcriptionists working in the Dictation and Transcription Services pool are not able to access historical documents from patient records; please include in your dictation any relevant information that is not available elsewhere in the record or on the eViewer. You may contact the Health Information Management department in the applicable facility to help obtain the missing but required information.

7. How do I ensure that other clinicians receive a copy of the dictated document?

If a family physician is listed in the patient's registration data, they will receive a copy automatically.

Copies are sent to other clinicians only when their first and last name and other applicable identifying information (e.g. location and/or specialty) is provided in the dictation (dictated and spelled out [if spelling known]). This is necessary to avoid distribution errors and delays in care.

8. Where does my dictation get transcribed?

Your report could be transcribed by any qualified medical transcriptionist anywhere in the province.

9. Do I need to sign my reports?

No. The Senior Medical Officers Committee (SMOC) passed a motion on April 22, 2016 supported by the College of Physicians and Surgeons of Saskatchewan that standardized use of electronic authentication and immediate distribution, with subsequent review by the physician and then making any needed amendments to reports.

The following disclaimer appears on all reports: This document has been dictated and may have been distributed before being read. Any corrections to this document must be made within thirty (30) days following the transcription date.

10. Where will the transcribed report from my dictation be delivered?

The transcribed report will always be distributed to you, unless you are a Resident or Clerk. Family physicians will also be copied if identified on the registration data, and a copy will be placed on the patient's health record at the local site of service. For some work types, there may be other additional distribution rules.

The report may be distributed by fax, printer, and/or into Sunrise Clinical Manager(SCM) (if in use at the patient's location). Distribution rule changes can be requested via the local health information area.

Reports dictated by Residents and Clerks will be distributed to the *clinician dictated for*.

11. Can I dictate ahead of time from an outside location?

Once the patient is registered in Admitting, the report can be dictated.

12. Can I go faster than the prompts when entering the numbers on the phone?

Yes, you do not need to wait to hear the next step if you know what it is.

13. Is the voice file stored electronically? If yes, for how long?

The voice record is encrypted and stored electronically for 90 days after the report has been distributed.

14. How do I obtain the dictation job ID number for my records?

The number will be given at the end of the dictation for each patient (when you press 5 or 8). You can also press ## at any time during the dictation to pause and obtain the number. To continue dictating, press 2 on the keypad.

Institute for Safe Medication Practices (ISMP)'s List of Error-Prone Abbreviations, Symbols, and Dose Designations

The abbreviations, symbols, and dose designations found in this table have been reported to ISMP through the ISMP National Medication Errors Reporting Program (ISMP MERP) as being frequently misinterpreted and involved in harmful medication errors. They should **NEVER** be used when communicating medical information. This includes internal communications, telephone/verbal prescriptions, computer-generated labels, labels for drug storage bins, medication administration records, as well as pharmacy and prescriber computer order entry screens.

| Abbreviations | Intended Meaning | Misinterpretation | Correction |
|---------------|-------------------------------|---|---|
| μg | Microgram | Mistaken as "mg" | Use "mcg" |
| AD, AS, AU | Right ear, left ear, each ear | Mistaken as OD, OS, OU (right eye, left eye, each eye) | Use "right ear," "left ear," or "each ear" |
| 0D, 0S, 0U | Right eye, left eye, each eye | Mistaken as AD, AS, AU (right ear, left ear, each ear) | Use "right eye," "left eye," or "each eye" |
| ВТ | Bedtime | Mistaken as "BID" (twice daily) | Use "bedtime" |
| cc | Cubic centimeters | Mistaken as "u" (units) | Use "mL" |
| D/C | Discharge or discontinue | Premature discontinuation of medications if D/C (intended to mean "discharge") has been misinterpreted as "discontinued" when followed by a list of discharge medications | Use "discharge" and "discon- tinue" |
| IJ | Injection | Mistaken as "IV" or "intrajugular" | Use "injection" |
| IN | Intranasal | Mistaken as "IM" or "IV" | Use "intranasal" or "NAS" |
| HS | Half-strength | Mistaken as bedtime | Use "half-strength" or "bedtime" |
| hs | At bedtime, hours of sleep | Mistaken as half-strength | Use "half-strength" or "bedtime" |
| IU** | International unit | Mistaken as IV (intravenous) or 10 (ten) | Use "units" |
| o.d. or OD | Once daily | Mistaken as "right eye" (OD-oculus dexter), leading to oral liquid medications administered in the eye | Use "daily" |
| OJ | Orange juice | Mistaken as OD or OS (right or left eye); drugs meant to be diluted in orange juice may be given in the eye | Use "orange juice" |
| Per os | By mouth, orally | The "os" can be mistaken as "left eye" (OS-oculus sinister) | Use "PO," "by mouth," or "orally" |

| Abbreviations | Intended Meaning | Misinterpretation | Correction |
|-----------------|---|---|--|
| q.d. or QD** | Every day | Mistaken as q.i.d., especially if the period after the "q" or the tail of the "q" is misunderstood as an "i" | Use "daily" |
| qhs | At bedtime | Mistaken as "qhr" or every hour | Use "at bedtime" |
| qn | Nightly | Mistaken as "qh" (every hour) | Use "nightly" |
| q.o.d. or QOD** | Every other day | Mistaken as "q.d." (daily) or "q.i.d. (four times daily) if the "o" is poorly written | Use "every other day" |
| q1d | Daily | Mistaken as q.i.d. (four times daily) | Use "daily" |
| q6PM, etc. | Every evening at 6 PM | Mistaken as every 6 hours | Use "6 PM nightly" or "6 PM daily" |
| SC, SQ, sub q | Subcutaneous | SC mistaken as SL (sublingual); SQ mistaken as "5 every;" the "q" in "sub q" has been mistaken as "every" (e.g., a heparin dose ordered "sub q 2 hours before surgery" misunderstood as every 2 hours before surgery) | Use "subcut" or "subcutane- ously" |
| ss | Sliding scale (insulin) or ½ (apothecary) | Mistaken as "55" | Spell out "sliding scale;" use "one-half" or "½" |
| SSRI | Sliding scale regular insulin | Mistaken as selective-serotonin reuptake inhibitor | Spell out "sliding scale (insulin)" |
| SSI | Sliding scale insulin | Mistaken as Strong Solution of lodine (Lugol's) | Spell out "sliding scale (insulin)" |
| i/d | One daily | Mistaken as "tid" | Use "1 daily" |
| TIW or tiw | 3 times a week | Mistaken as "3 times a day" or "twice in a week" | Use "3 times weekly" |
| U or u** | Unit | Mistaken as the number 0 or 4, causing a 10-fold overdose or greater (e.g., 4U seen as "40" or 4u seen as "44"); mistaken as "cc" so dose given in volume instead of units (e.g., 4u seen as 4cc) | Use "unit" |
| UD | As directed ("ut dictum") | Mistaken as unit dose (e.g., diltiazem 125 mg IVinfusion "UD" misinterpreted as meaning to give the entire infusion as a unit [bolus] dose) | Use "as directed" |

| Dose Designations and Other Information Intended Meaning | | Misinterpretation | Correction |
|--|-------------------------------|--|--|
| Trailing zero after decimal point (e.g., 1.0 mg)** | 1 mg | Mistaken as 10 mg if the decimal point is not seen | Do not use trailing zeros for doses expressed in whole numbers |
| No leading zero before a decimal dose (e.g., .5 mg)** | 0.5 mg | Mistaken as 5 mg if the decimal point is not seen | Use zero before a decimal point when the dose is less than a whole unit |
| Drug name and dose run together (especially problematic for drug names that end in "L" such as Inderal40 mg; Tegretol300 mg) | Inderal 40 mg Tegretol 300 mg | Mistaken as Inderal 140 mg Mistaken as Tegretol 1300 mg | Place adequate space between the drug name, dose, and unit of measure |
| Numerical dose and unit of measure run together (e.g., 10mg, 100mL) | 10 mg 100 mL | The "m" is sometimes mistaken as a zero or two zeros, risking a 10- to 100-fold overdose | Place adequate space between the dose and unit of measure |
| Abbreviations such as mg. or mL. with a period following mg mL the abbreviation | | The period is unnecessary and could be mistaken as the number 1 if written poorly | Use mg, mL, etc. without a terminal period |
| Large doses without properly placed commas (e.g., 100000 units) | 100,000 units 1,000,000 units | 100000 has been mistaken as 10,000 or 1,000,000; 1000000 has been mistaken as 100,000 | Use commas for dosing units at or above 1,000, or use words such as 100 "thousand" or 1 "million" to improve readability |

| Drug Name Abbreviations | Intended Meaning | Misinterpretation | Correction |
|----------------------------|--|--|------------------------|
| APAP | Acetaminophen | Not recognized as acetaminophen | Use complete drug name |
| ARA A | vidarabine | Mistaken as cytarabine (ARA C) | Use complete drug name |
| AZT | zidovudine (Retrovir) | Mistaken as azathioprine or aztreonam | Use complete drug name |
| CPZ | Compazine (prochlorperazine) | Mistaken as chlorpromazine | Use complete drug name |
| DPT | Demerol-Phenergan-Thorazine | Mistaken as diphtheria-pertussis-tetanus (vaccine) | Use complete drug name |
| DTO | Diluted tincture of opium, or deodorized tincture of opium (Paregoric) | Mistaken as tincture of opium | Use complete drug name |

| Drug Name Abbreviations | Intended Meaning | Misinterpretation | Correction |
|----------------------------|---|--|---|
| нсі | hydrochloric acid or hydrochloride | Mistaken as potassium chloride (The "H" is misinterpreted as "K") | Use complete drug name unless expressed as a salt of a drug |
| нст | hydrocortisone | Mistaken as hydrochlorothiazide | Use complete drug name |
| HCTZ | hydrochlorothiazide | Mistaken as hydrocortisone (seen as HCT250 mg) | Use complete drug name |
| MgS04** | magnesium sulfate | Mistaken as morphine sulfate | Use complete drug name |
| MS, MS04** | morphine sulfate | Mistaken as magnesium sulfate | Use complete drug name |
| MTX | methotrexate | Mistaken as mitoxantrone | Use complete drug name |
| NoAC | Novel/new oral anticoagulant | No anticoagulant | Use complete drug name |
| PCA | procainamide | Mistaken as Patient Controlled Analgesia | Use complete drug name |
| PTU | propylthiouracil | Mistaken as mercaptopurine | Use complete drug name |
| T3 | Tylenol with codeine No. 3 | Mistaken as liothyronine | Use complete drug name |
| TAC | triamcinolone | Mistaken as tetracaine, Adrenalin, cocaine | Use complete drug name |
| TNK | TNKase | Mistaken as "TPA" | Use complete drug name |
| TPA or tPA | tissue plasminogen activator, Activase (alteplase) | Mistaken as TNKase (tenecteplase), or less often as another tissue plasminogen activator, Retavase (retaplase) | Use complete drug name |
| ZnS04 | zinc sulfate | Mistaken as morphine sulfate | Use complete drug name |

| Stemmed Drug Names Intended Meaning | | Misinterpretation | Correction |
|-------------------------------------|-----------------------------|---------------------|------------------------|
| "Nitro" drip | drip nitroglycerin infusion | | Use complete drug name |
| "Norflox" | norfloxacin | Mistaken as Norflex | Use complete drug name |
| "IV Vanc" intravenous vancomycin | | Mistaken as Invanz | Use complete drug name |

| Symbols | Intended Meaning | Misinterpretation | Correction |
|----------------|--|--|--|
| 3 | Dram | Symbol for dram mistaken as "3" | Use the metric system |
| mp | Minim | Symbol for minim mistaken as "mL" | Use the metric system |
| x3d | For three days | Mistaken as "3 doses" | Use "for three days" |
| > and < | Greater than and less than | Mistaken as opposite of intended; mistakenenly use incorrect symbol; "< 10" mistaken as "40" | Use "greater than" or "less than" |
| / (slash mark) | Separates two doses or indicates "per" | Mistaken as the number 1 (e.g., "25 units/10 units" misread as "25 units and 110" units) | Use "per" rather than a slash mark to separate doses |
| @ | At | Mistaken as "2" | Use "at" |
| & | And | Mistaken as "2" | Use "and" |
| + | Plus or and | Mistaken as "4" | Use "and" |
| o | Hour | Mistaken as a zero (e.g., q2° seen as q 20) | Use "hr," "h," or "hour" |
| Φ or ⊗ | zero, null sign | Mistaken as numerals 4, 6, 8, and 9 | Use 0 or zero, or describe intent using whole words |

^{**}These abbreviations are included on The Joint Commission's "minimum list" of dangerous abbreviations, acronyms, and symbols that must be included on an organization's "Do Not Use" list, effective January 1, 2004. Visit www.jointcommission.org for more information about this Joint Commission requirement.

[©] ISMP 2015. Permission is granted to reproduce material with proper attribution for internal use within healthcare organizations. Other reproduction is prohibited without written permission from ISMP. Report actual and potential medication errors to the ISMP National Medication Errors Reporting Program (ISMP MERP) via the Web at www.ismp.org or by calling 1-800-FAIL-SAF(E).